Mup Version 5.3 Statement Summary

context
staffs voices & *staffs voices*: *chord* ; ....
[*staffs voices* & *staffs voices*; *staffs voices*] : *chord* ; ....
lyrics *place staff* : *time_valuelist* [*verses*] "*text*"; ...
linetype bartype **pad** *num ending_mark* **rehearsal** *fontfamily font* (*size*) *rehearsal_mark* **mnum=***num* **=***tag* **hidechanges**
*parameter***=***value*
multirest *num*
newscore leftmargin=*num* **rightmargin=***num*
newpage leftmargin=*num* **rightmargin=***num*
fontfamily font (*size*) *modifier place staffs* **dist** *num* **!** : *beat* "*text*" **til** *num***m+***num*; ....
mussym (*size*) *place staffs* : *beat* "*mus_symbol*" **til** *num***m+***num*; ....
linetype **phrase** *place staffs* : *beat til num***m+***num*; ....
octave *place staffs* : *beat* "*text*" **til** *num***m+***num*; ....
pedal *place staffs* : *beat* ***** ; ....
cres_mark place staffs : *beat til num***m+***num*; ....
midi *staffs voices* : *beat* "*midi_keyword***=***value*"; ....
roll *direction staffnum voicenum* **to** *staffnum voicenum* : *beat* ; ....
printcmd location "*text*"
title *fontfamily font* (*size*) "*text*" "*text*" "*text*"
justifytype **paragraph** *fontfamily font* (*size*) "*text*"
linetype **line** *location* **to** *location* **with** *fontfamily font* (*size*) "*text*"
linetype **curve** *location* **to** *location* **to** *location* ....
linetype **curve** *location* **to** *location* **bulge** *num* ....
define *MACRO_NAME*(*mac_params*) *macro_definition* @
ifdef *MACRO_NAME* ..... **else** ..... **endif**
ifndef *MACRO_NAME* ..... **else** ..... **endif**
undef *MACRO_NAME*
if *expression* ..... **else** ..... **endif**
include "*filename*"
fontfile "*filename*"
// *comment—arbitrary text that will be ignored.*

Values used in Mup statements

accidental	**#**, **&**, **x**, **&&**, or **n**
bartype	**bar**, **dblbar**, **repeatstart**, **repeatend**, **repeatboth**, **endbar**, **invisbar**, or **restart**
beat	number from 0.0 to time signature denominator plus 1.0, optionally followed
	by how many grace notes to back up from there, as a negative number in parentheses,
	and an offset as a signed number in square brackets
chord	**<<***context parameter=value***>>** [*chord_style*] *time_value pitch(es) note_attributes inter-chord_attr*
	Tuplets specified by { *chord* ; .... } *side num tupstyle, time_value* ;
	On tablature staff, the *pitch* is: *string fret* "*bend*"
bend	**full**, or *num* and/or a fraction as *num***/***num*
chord_style	one or more (semicolon-separated) from the following:
	grace, **cue**, **xnote**, **diam**, **with** *withlist*, **pad** *num*, **slash** *num*, *stemdir*, **len** *num*, **dist** *num*,
	ho *num*, **hs** "*headshape*", or **=***tag*
	Putting **...** after the] will repeat the *chord_style* until **[-]** or end of measure.
clef	**treble**, **soprano**, **mezzosoprano**, **alto** (these have default octave of 4)
	treble8, **tenor**, **baritone**, **bass** (these have default octave of 3)
	frenchviolin, **8treble** (these have default octave of 5)
context	**score**, **staff** *staffnum*, **voice** *staffnum voicenum*, **music**, **top**, **bottom**, **top2**, **bottom2**,
	header, **footer**, **header2**, **footer2**, **grids**, or **headshapes**
cres_mark	**<** (crescendo) or **>** (decrescendo)
direction	**up** or **down**
ending_mark	**ending** "*text*" or **endending**
expression	can contain **defined**() () + - ~ ! * / % ^ & | << >> < > <= >= == != && || ?:
filename	path to a file on your system; uses MUPPATH to find, if not in current directory
	and not absolute path

font **rom**, **ital**, **bold**, or **boldital**

fontfamily **avantgarde**, **bookman**, **courier**, **helvetica**, **newcentury**, **palatino, or times**

fret number from 0 to 99

hex_data even number of hexadecimal digits

inter-chord_attr *tieslur_style* **tie** *direction*, *tieslur_style* **slur** *direction*, **bm**, **bm with staff** *side*, **ebm**, **esbm**,
slope *num*, or **alt** *num*

interval **perfect**, **major**, **minor**, **augmented**, or **diminished**

justifytype **justified**, or **ragged**

linetype **medium**, **wide**, **dashed**, or **dotted** (if omitted, *linetype* is narrow)

location **(** *tag***.***X* **+** *steps* **+ time** *time_value***,** *tag***.***Y* **+** *steps* **)**

mac_params comma-separated list of parameter names, same naming rules as *MACRO_NAME*

MACRO_NAME upper case letters, digits, and/or underscores, beginning with a letter

macro_definition arbitrary text that will be used wherever *MACRO_NAME* appears in input

midi_keyword any of the following:

tempo=*num*	**program=***num*	**parameter=***num***,***num*	**port=***num*
onvelocity=*num*	**offvelocity=***num*	**channel=***num*	**chanpressure=***num*
seqnum=*num*	**text=***text*	**copyright=***text*	**name=***text*
instrument=*num*	**marker=***text*	**cue=***text*	**hex=***hex_data*

modifier **chord**, **analysis**, **figbass**, or omitted

mus_symbol musical symbol; see chart on page 6 for complete list.

note_attributes one or more of the following: *tieslur_style* **~** *direction* (tie), *tieslur_style* **< >** *direction) (slur),*
? (small), **^***pitch* (bend), **hs "***headshape***"**, or **=***tag*

num some number; valid values depend on where it appears

octave number from **0** to **9** or one or more **+** or **-** signs

parameter See parameter table on page 5 for complete list

pitch letter from **a** to **g**, optionally followed by *accidental* and/or *octave*,
or **r** (rest), **s** (space), **us** (uncollapseable space), or **rpt** (repeat)

place **above**, **below**, or **between**. If **between**, *staffs* must be of the form *num***&***num*

printcmd **left**, **right**, **center**, **print** or **postscript**

rehearsal_mark **let**, **num**, **mnum**, or **"***text***"**

side **above** or **below**

size number from 1 to 100 (points)

staffnum number from 1 to 40

staffs number from 1 to 40, or comma-separated list of dash-separated ranges

stemdir **up** or **down**

stemlen a number, in stepsizes

steps a number of stepsizes, where a stepsize is 1/2 the distance between two staff lines

string in tablature chord: *pitch accidental* followed by zero or more **'** marks

tab_string list of tablature strings. Each includes a *pitch*, optional **'** marks, and optional *octave.*

tag a lower case letter, or an underscore followed by lower case letters, digits, and/or underscores
Each has 6 associated values: **x**, **y**, **n**, **s**, **e**, and **w**
Predefined tag names are **_win**, **_page**, and **_cur**

text arbitrary text; use **\"** to include quotes, **\f(***fontfamily font***)** to change font, **\s(***num***)** to change size,
\(*xx***)** to include special characters, **\v(***num***)** for vertical motion, **\:** to toggle piling, **\|** or **\^** for alignment

time_value **1/4**, **1/2**, **1**, **2**, **4**, **8**, **16**, **32**, **64**, **128**, or **256** with optional dots, **+** or **-**; or **m** (measure)

tieslur_style **dotted**, **dashed**, or omitted

tuplet See *chord*

tupstyle **y** (always print bracket), **n** (no number or bracket), **num** (number only), or omitted (default)

value See information about the item to the left of the = for valid values

verses number or comma-separated list of dash-separated ranges

voicenum **1**, **2**, or **3**

voices *comma-separated list of dash-separated ranges of voicenum*s

withlist comma-separated list of the following: **.** (stacatto), **-** (legato), **^** (accent), **>** (accent), or **"***text***"**

X **x**, **w**, or **e** (x, west, or east)

Y **y**, **n**, or **s** (y, north, or south)

Font/size changes in text strings

To change font inside a quoted text string, use **\f(***fontfamily font***)** or **\f(***font_abbr***)** from the table:

font				*fontfamily*			
	avantgarde	bookman	courier	helvetica	newcentury	palatino	times
rom	`AR`	`BR`	`CR`	`HR`	`NR`	`PR`	`TR`
bold	`AB`	`BB`	`CB`	`HB`	`NB`	`PB`	`TB`
ital	`AI`	`BI`	`CI`	`HI`	`NI`	`PI`	`TI`
boldital	`AX`	`BX`	`CX`	`HX`	`NX`	`PX`	`TX`

\f(previous) or **\f(PV)** changes to previous font. **\s(***num***)** changes to point size *num*, 1 to 100.
\s(+*num***)** increases the size by *num* while **\s(-***num***)** decreases it by *num* points.
\s(PV) or **\s(previous)** reverts to previous size.

Mup command line arguments

-c *num*	combine *num* or more measures of rest into multirest
-C	used with -E, keep comments rather than discarding them
-d *num*	turn on debugging level *num*
-D *MACRO***=***def*	define *MACRO* as *def*
-e *errfile*	put error output into *errfile*
-E	just expand macros and "include" files and write result to standard output
-f *outfile*	put output into *outfile*
-F	put output into file, deriving output file name from input file name
-m *midifile*	generate MIDI output into *midifile*
-M	generate MIDI output, derive file name
-o *pagelist*	only print pages in *pagelist*, can be list of numbers, or **odd** or **even**
-p *num*	start numbering pages at *num*
-r	print shareware registration form
-s *stafflist*	print only the staffs listed in *stafflist*; add **v***N* to restrict to voice *N*
-v	print version number and exit
-x *M***,***N*	extract measures *M* through *N*, negative relative to end, 0 for pickup

Mupdisp commands

num<Enter>	go to page *num*
+ or <space> or <cntl-E> or <cntl-F>	forward 1/8"
f or <Enter> or <cntl-D> or <cntl-N>	forward 1"
- or <backspace> or <cntl-Y> or <cntl-B>	backward 1/8"
b or <cntrl-U> or <cntl-P> or <cntl-B>	backward 1"
h or **?**	help
m	toggle between full and partial page modes
n	next page
p	previous page
q or **ZZ**	quit
r	repaint the screen

Mup Parameters

Parameter	Score	Staff	Voice	Hd/Ft	Valid Values	Default
aboveorder	•	•			**mussym,octave,dyn&othertext&chord,lyrics,ending,reh**	**as listed**
addtranspose	•	•			**up** or **down**, followed by *interval* and *num*	up perfect 1
barstyle	•				comma-separated lists of staffs or dash-separated ranges	
beamslope	•	•	•		0.0 to 1.0, 0.0 to 45.0	1.0,20.0
beamstyle	•	•	•		comma-separated list of *time_values* that add up to a measure	
beloworder	•	•			**mussym,octave,dyn&othertext&chord,lyrics,pedal**	**as listed**
betweenorder	•	•			**mussym,dyn&othertext&chord,lyrics**	**as listed**
bottommargin	•				0.0 to pageheight minus 0.5 inches	0.5 inches
brace	•				comma-separated list of staffs or dash-separated ranges	
bracket	•				comma-separated list of staffs or dash-separated ranges	
cancelkey	•	•			**y** or **n**	n
chorddist	•	•			0 to 50 (stepsizes)	3
clef	•	•			**treble**,**treble8**,**8treble**,**frenchviolin**,**soprano**,**mezzosoprano**,**alto**,**tenor**,**baritone**,**bass**	treble
defoct	•	•	•		0 to 9	based on clef
dist	•	•			0 to 50 (stepsizes)	2
division	•				MIDI division, 1 to 1536 (ticks per quarter note)	192
dyndist	•	•			0 to 50 (stepsizes)	2
endingstyle	•				**top**, **barred**, or **grouped**	top
firstpage	•				1 to 5000	1
font	•	•		•	**rom**, **bold**, **ital**, or **boldital**	rom
fontfamily	•	•		•	**avantgarde**, **bookman**, **courier**, **helvetica**, **newcentury**, **palatino**, or **times**	times
gridfret	•	•			2 to 99	4
gridsatend	•				**y** or **n**	n
gridswhereused	•	•			**y** or **n**	n
gridscale	•	•			0.1 to 10.0	1.0
key	•	•			*pitch* **major** or **minor**; or 0 to 7 **#** or **&** and optional **major** or **minor**	c major
label2	•	•			**"***text***"**	""
label	•	•			**"***text***"**	" "
leftmargin	•				0.0 to pagewidth minus 0.5 inches	0.5 inches
lyricsalign	•	•			0.0 to 1.0	0.25
lyricsfont	•	•			**rom**, **bold**, **ital**, or **boldital**	rom
lyricsfontfamily	•	•			**avantgarde**, **bookman**, **courier**, **helvetica**, **newcentury**, **palatino**, or **times**	times
lyricssize	•	•			1 to 100 (points)	12
measnum	•				**y** or **n**	n
measnumfont	•				**rom**, **bold**, **ital**, or **boldital**	rom
measnumfontfamily	•				**avantgarde**, **bookman**, **courier**, **helvetica**, **newcentury**, **palatino**, or **times**	times
measnumsize	•				1 to 100 (points)	11

Parameter	Score	Staff	Voice	Hd/Ft	Valid Values	Default
noteheads	•	•	•		string containing 1 or 7 headshape names	"norm"
numbermrpt	•	•			**y** or **n**	y
ontheline	•	•	•		**y** or **n**	y
packexp	•				0.0 to 1.0	0.8
packfact	•				0.0 to 10.0	1.0
pad	•	•	•		-5.0 to 50.0	0.0
pageheight	•				2.0 to 24.0 inches or 5.0 to 61.0 cm	11.0 inches
pagesize	•				**letter, legal, flsa, halfletter, a4, a5, a6** then optional **portrait** or **landscape**	letter
pagewidth	•				2.0 to 24.0 inches or 5.0 to 61.0 cm	8.5 inches
panelsperpage	•				1 or 2	1
pedstyle	•	•			**line**, **pedstar**, or **alt pedstar**	line
printmultnum	•	•			**y** or **n**	y
rehstyle	•	•			**boxed**, **circled**, or **plain**	boxed
release	•	•	•		0 to 500 (milliseconds)	20
restcombine	•				2 to 1000	not set
restsymmult	•	•			**y** or **n**	n
rightmargin	•				0.0 to pagewidth minus 0.5 inches	0.5 inches
scale	•				0.1 to 10.0	1.0
scorepad	•				*num*, or *num***,***num*, negative pageheight to pageheight (stepsizes)	2,2
scoresep	•				*num*, or *num***,***num*, 6 to pageheight (stepsizes)	12,20
size	•	•		•	1 to 100	12
stafflines	•	•			**1**, **1n**, **5**, **5n**, **5 drum**, **1 drum**, or **tab (***tab_strings***)**	5
staffpad	•	•			negative pageheight to pageheight (stepsizes)	0
staffs	•				1 to 40	1
staffscale	•	•			0.1 to 10.0	1.0
staffsep	•	•			6 to pageheight (stepsizes)	10
stemlen	•	•	•		0.0 to 100.0 (stepsizes)	7.0
stemshorten	•	•	•		0.0 to 2.0 (stepsizes)	1.0
swingunit	•	•	•		time value or nothing	nothing
sylposition	•	•			-100 to 100 (points)	-5
tabwhitebox	•	•	•		**y** or **n**	n
time	•				**common**, **cut** or *N*/*D* where *N* is 1 to 99 and *D* is **1**, **2**, **4**, **8**, **16**, **32**, or **64**	4/4
timeunit	•	•	•		*time_value* (can include dots)	*D* of time sig
topmargin	•				0.0 to pageheight minus 0.5 inches	0.5 inches
transpose	•	•			**up** or **down**, followed by *interval* and *num*	up perfect 1
units	•				**inches** or **cm**	inches
visible	•	•	•		**y**, **n**, or **whereused**	y
vcombine	•	•			list of staffs, plus optional **nooverlap**, **shareone**, or **overlap**, or nothing	nothing
vscheme	•	•			**1**, **2o**, **2f**, **3o**, or **3f**	1
warn	•				**y** or **n**	y